

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27	((connect\$4 or featur\$4 or face or facial) near3 (line or loop or segment)) same (sample near3 number)) and ((model or mesh or primitive or polygon\$4 or shape or model\$4) same ("3D" or "3-d" or ((three or "3") near dimension\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:27
L2	51	((determin\$4 or locat\$4 or calculat\$4 or retriv\$4 or comput\$4) with ((feature near line) or point or vertic\$4 or vertex) with (face or facial) with (model or mesh or polygon)) and (connectiv\$4) and ((feature or line or vertic\$4 or vertex or point)) and ((triangl\$4 or triangular) near (mesh or grid)) and (construct\$4)	USPAT	OR	ON	2009/02/10 11:28
L3	863	((input\$4 or manual\$4 or user) with ("3D" or ((three or "3") near dimension\$4) or "3-D") with (model or polygon\$4 or shape or object or primitive)) and (featur\$4 near (line or loop or point or thread or joint or connect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:28
L4	426	((input\$4 or manual\$4 or user) with ("3D" or ((three or "3") near dimension\$4) or "3-D") with (model or polygon\$4 or shape or object or primitive)) and (featur\$4 near (line or loop or point or thread or joint or connect\$4)) and (mesh or lattic\$4 or grid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:28
L8	119	((CHIA-CHEN) near2 (CHEN)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/10 11:31
L9	5	((WEN-SHIOU) near2 (LOU)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/10 11:31
L10	168	((grid or mesh or tessellat\$4 or tesellat\$4 or tesselat\$4) with ((chang\$4 or alter\$4 or adjust\$4 or modif\$4) near (number or amount or ratio or densit\$4))) with (point or vertic\$4 or vertex)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:31
L11	218	((featur\$4 or face or facial) near2 (line or loop or segment)) and ((model or mesh or primitive or polygon\$4 or shape or model\$4) same (reconstruc\$4) same ("3D" or "3-d" or ((three or "3") near dimension\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:31
L12	1351	(345/420).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2009/02/10 11:32
L13	2	((((model\$4 or polygon\$4 or object or shape or primitiv\$4 or avatar or face or facial) with ("3D" or ((three or "3") near dimension\$4) or "3-D")) same ((sampl\$4 or resolution\$4 or densit\$4) with (maintain\$4 or lock\$4 or resist\$4 or constant\$4 or sustain\$4 or uphold\$4 or retain\$4))) same reconstruc\$4) and L12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:32
L14	42	((featur\$4 or characteris\$4) with (thread or line or snak\$4 or contour\$4) with ((model\$4 or polygon\$4 or object or shape or primitiv\$4 or avatar or face or facial) with ("3D" or ((three or "3") near dimension\$4) or "3-D"))) and L12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:32
L15	123	((((model\$4 or polygon\$4 or object or shape or primitiv\$4 or avatar or face or facial) with ("3D" or ((three or "3") near dimension\$4) or "3-D")) same ((sampl\$4 or resolution\$4 or densit\$4) with (maintain\$4 or lock\$4 or resist\$4 or constant\$4 or sustain\$4 or uphold\$4 or retain\$4))) same reconstruc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:32

EAST Search History

L16	871	((((model\$4 or polygon\$4 or object or shape or primitiv\$4 or avatar or face or facial) with ("3D" or ((three or "3") near dimension\$4) or "3-D")) same ((sampl\$4 or resolution\$4 or densit\$4) with (maintain\$4 or lock\$4 or resist\$4 or constant\$4 or sustain\$4 or uphold\$4 or retain\$4))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:32
L17	14	((((model\$4 or polygon\$4 or object or shape or primitiv\$4 or avatar or face or facial) with ("3D" or ((three or "3") near dimension\$4) or "3-D")) same ((sampl\$4 or resolution\$4 or densit\$4) with (maintain\$4 or lock\$4 or resist\$4 or constant\$4 or sustain\$4 or uphold\$4 or retain\$4)))) and L12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:32
L18	1686	(345/473).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2009/02/10 11:32
L19	268	((connect\$4 or featur\$4 or face or facial) with (line or loop or segment)) and ((model or mesh or primitive or polygon\$4 or shape or model\$4) same ("3D" or "3-D" or ((three or "3") near dimension\$4))) and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:32
L20	30	((featur\$4 with (point or vertex or vertic\$4)) same (correct\$4 or modify or modifica\$4 or reconstruct\$4)) and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:32
L21	426	((input\$4 or manual\$4 or user) with ("3D" or ((three or "3") near dimension\$4) or "3-D") with (model or polygon\$4 or shape or object or primitive)) and (featur\$4 near (line or loop or point or thread or joint or connect\$4)) and (mesh or lattic\$4 or grid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:33
L22	175	((connect\$4 or featur\$4 or face or facial) near3 (line or loop or segment)) and ((model or mesh or primitive or polygon\$4 or shape or model\$4) same ("3D" or "3-d" or ((three or "3") near dimension\$4))) and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:33
L23	252	(("3D" or ((three or "3") near dimension\$4) or "3-D") with (model or polygon\$4 or shape or object or primitive)) and ((input\$4 or manual\$4 or user or person or operator) with (featur\$4 near (line or loop or point or thread or joint or connect\$4))) and (mesh or lattic\$4 or grid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:37
L24	468	(("3D" or ((three or "3") near dimension\$4) or "3-D") with (model or polygon\$4 or shape or object or primitive)) and ((input\$4 or manual\$4 or user or person or operator) with (featur\$4 near3 (line or loop or point or thread or joint or connect\$4))) and (mesh or lattic\$4 or grid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:37
L25	15	(("3D" or ((three or "3") near dimension\$4) or "3-D") with (model or polygon\$4 or shape or object or primitive)) and ((input\$4 or manual\$4 or user or person or operator) with (featur\$4 near (line or loop or point or thread or joint or connect\$4))) and (mesh or lattic\$4 or grid) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:38
L26	7	(("3D" or ((three or "3") near dimension\$4) or "3-D") with (model or polygon\$4 or shape or object or primitive)) and ((input\$4 or manual\$4 or user or person or operator) with (featur\$4 near (line or loop or point or thread or joint or connect\$4))) and (mesh or lattic\$4 or grid) and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:38

EAST Search History

L27	21	(("3D" or ((three or "3") near dimension\$4) or "3-D") with (model or polygon\$4 or shape or object or primitive)) and ((input\$4 or manual\$4 or user or person or operator) with (featur\$4 near3 (line or loop or point or thread or joint or connect\$4))) and (mesh or lattic\$4 or grid) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:38
L28	8	(("3D" or ((three or "3") near dimension\$4) or "3-D") with (model or polygon\$4 or shape or object or primitive)) and ((input\$4 or manual\$4 or user or person or operator) with (featur\$4 near3 (line or loop or point or thread or joint or connect\$4))) and (mesh or lattic\$4 or grid) and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:38